

acc. to Regulation (EC) No. 1907/2006 (REACH)

Hexamine, Hi-AR[™]/ACS

Version number: GHS 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier** Identification of the substance Hexamine, Hi-AR[™]/ACS CAS number 100-97-0 GRM1499 Alternative number(s) Relevant identified uses of the substance or mixture and uses advised against 1.2 Relevant identified uses Laboratory chemicals, Manufacture of substances 1.3 Details of the supplier of the safety data sheet HiMedia Laboratories Pvt. Ltd. Plot No. C40, Road No. 21Y, Wagle Industrial Area, MIDC Thane West Maharashtra 400604 India Telephone: +91 22 69034800, +91 22 61169797 e-mail: info@himedialabs.com Website: www.himedialabs.com e-mail (competent person) info@himedialabs.com (HiMedia Laboratories Pvt. Ltd)

1.4 Emergency telephone number

Emergency information service

+91 9321269711

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

| Section | Hazard class | Category | Hazard class and cat- egory | Hazard state- ment |
|---------|--------------------|----------|--------------------------------|-----------------------|
| 2.7 | flammable solid | 2 | Flam. Sol. 2 | H228 |
| 3.4S | skin sensitisation | 1 | Skin Sens. 1 | H317 |

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling

- Signal word warning
- Pictograms

GHS02, GHS07



- Hazard statements

H228 H317 Flammable solid. May cause an allergic skin reaction.

United Kingdom: en

Date of compilation: 2024-06-01



Version number: GHS 1.0

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Hexamine, Hi-AR™/ACS

Date of compilation: 2024-06-01

| - Precautionary state | ments |
|-----------------------|--|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protec- tion. |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P370+P378 | In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish. |
| P501 | Dispose of contents/container to industrial combustion plant. |

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

| Name of substance | Hexamine, Hi-AR™/ACS |
|----------------------|----------------------|
| Identifiers | |
| CAS No | 100-97-0 |
| EC No | 202-905-8 |
| Index No (GB CLP) | 612-101-00-2 |
| Molecular formula | $C_{6}H_{12}N_{4}$ |
| Molar mass | 140.19 g/mol |
| | |

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Hexamine, Hi-AR[™]/ACS

Version number: GHS 1.0

Date of compilation: 2024-06-01

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water, Foam, ABC-powder

Unsuitable extinguishing media Water jet

5.2 Special hazards arising from the substance or mixture

Deposited combustible dust has considerable explosion potential.

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Hexamine, Hi-AR™/ACS

Date of compilation: 2024-06-01

Version number: GHS 1.0

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres
- Removal of dust deposits.
- Flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- Ventilation requirements

Use local and general ventilation.

- Specific designs for storage rooms or vessels
- Storage temperature

Recommended storage temperature: 10 - 30 °C

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Occup | Occupational exposure limit values (Workplace Exposure Limits) | | | | | | | | | | |
|--------------|--|--------|-----------------|--------------|----------------|---------------|--|--|----------------------|---|---------------|
| Coun- try | Name of agent | CAS No | Identi- fier | TWA [ppm] | TWA [mg/m³] | STEL [ppm] | | | Ceiling-C [mg/m³] | | Source |
| GB | dust | | WEL | | 10 | | | | | i | EH40/ 2005 |
| GB | dust | | WEL | | 4 | | | | | r | EH40/ 2005 |

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

inhalable fraction respirable fraction

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)



acc. to Regulation (EC) No. 1907/2006 (REACH)

Hexamine, Hi-AR[™]/ACS

Version number: GHS 1.0

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

Particulate filter device (EN 143).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical state | solid |
|--|---|
| Colour | White crystals or powder or solid |
| Odour | characteristic |
| Melting point/freezing point | not determined |
| Boiling point or initial boiling point and boiling range | not determined |
| Flammability | flammable solid in accordance with GHS criteria |
| Lower and upper explosion limit | not relevant (solid) |
| Flash point | not applicable |
| Auto-ignition temperature | not determined |
| Decomposition temperature | not relevant |
| pH (value) | not applicable |
| Kinematic viscosity | not relevant |
| Solubility(ies) | not determined |

Date of compilation: 2024-06-01



acc. to Regulation (EC) No. 1907/2006 (REACH)

Hexamine, Hi-AR[™]/ACS

Version number: GHS 1.0

Date of compilation: 2024-06-01

| Partition coefficient | | | | | |
|---|-----------------------------------|--|--|--|--|
| Partition coefficient n-octanol/water (log value) | this information is not available | | | | |
| | | | | | |

| Vapour pressure |
|-----------------|
|-----------------|

Density and/or relative density

| Density | not determined |
|-------------------------|----------------------|
| Relative vapour density | not relevant (solid) |

| Particle characteristics | no data available | | | |
|--|------------------------------------|--|--|--|
| Other information | | | | |
| Information with regard to physical hazard classes | there is no additional information | | | |
| Other safety characteristics | | | | |
| Solid content | 100 % | | | |

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". It's a reactive substance. The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Hexamine, Hi-AR[™]/ACS

Date of compilation: 2024-06-01

Version number: GHS 1.0

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Shall not be classified as presenting an aspiration hazard.

Aspiration hazard

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Hexamine, Hi-AR[™]/ACS

Date of compilation: 2024-06-01

Version number: GHS 1.0

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

| 14.1 | UN number or ID number | |
|------|----------------------------|--|
| | ADR/RID | UN 1328 |
| | IMDG-Code | UN 1328 |
| | ICAO-TI | UN 1328 |
| 14.2 | UN proper shipping name | |
| | ADR/RID | HEXAMETHYLENETETRAMINE |
| | IMDG-Code | HEXAMETHYLENETETRAMINE |
| | ICAO-TI | Hexamethylenetetramine |
| 14.3 | Transport hazard class(es) | |
| | ADR/RID | 4.1 |
| | IMDG-Code | 4.1 |
| | ICAO-TI | 4.1 |
| 14.4 | Packing group | |
| | ADR/RID | III |
| | IMDG-Code | III |
| | ICAO-TI | III |
| 14.5 | Environmental hazards | non-environmentally hazardous acc. to the dan- gerous goods regulations |
| | | |

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations



acc. to Regulation (EC) No. 1907/2006 (REACH)

Hexamine, Hi-AR™/ACS

Date of compilation: 2024-06-01

| number: GHS 1.0 | Date of compilation: 2 |
|--|--|
| Agreement concerning the Internatio Additional information | nal Carriage of Dangerous Goods by Road (ADR) - |
| Classification code | F1 |
| Danger label(s) | 4.1 |
| • | |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 kg |
| Transport category (TC) | 3 |
| Tunnel restriction code (TRC) | E |
| Hazard identification No | 40 |
| Emergency Action Code | 1Z |
| Regulations concerning the Internation Additional information | onal Carriage of Dangerous Goods by Rail (RID) - |
| Classification code | F1 |
| Danger label(s) | 4.1 |
| | |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 kg |
| Transport category (TC) | 3 |
| Hazard identification No | 40 |
| International Maritime Dangerous Go | ods Code (IMDG) - Additional information |
| Marine pollutant | - |
| Danger label(s) | 4.1 |
| | |
| Special provisions (SP) | - |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 kg |
| EmS | F-A, S-G |
| Stowage category | A |
| International Civil Aviation Organizat | ion (ICAO-IATA/DGR) - Additional information |
| Danger label(s) | 4.1 |
| | |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 10 kg |



acc. to Regulation (EC) No. 1907/2006 (REACH)

Hexamine, Hi-AR[™]/ACS

Date of compilation: 2024-06-01

Version number: GHS 1.0

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Deco-Paint Directive

VOC content

0 %

Industrial Emissions Directive (IED)

VOC content

0 %

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations (GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

Restrictions according to GB REACH, Annex 17

| Dangerous substances with restrictions (GB REACH, Annex 17) | | | | |
|---|--|--|----|--|
| Name of substance Name acc. to inventory CAS No No | | | | |
| Hexamine, Hi-AR™/ACS flammable / pyrophoric | | | 40 | |

National inventories

| Country | Inventory | Status |
|---------|------------|------------------------------|
| EU | REACH Reg. | substance is listed |
| US | TSCA | substance is listed (ACTIVE) |

Legend

REACH Reg.REACH registered substancesTSCAToxic Substance Control Act

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Hexamine, Hi-AR[™]/ACS

Date of compilation: 2024-06-01

Version number: GHS 1.0

SECTION 16: Other information

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------|--|
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road) |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union) |
| ED | Endocrine disruptor |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| GB CLP | The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended) |
| GB REACH | The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail) |
| STEL | Short-term exposure limit |
| TWA | Time-weighted average |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |



acc. to Regulation (EC) No. 1907/2006 (REACH)

Hexamine, Hi-AR[™]/ACS

Date of compilation: 2024-06-01

| Version number: GHS 1.0 | |
|-------------------------|--|
|-------------------------|--|

| Abbr. | Descriptions of used abbreviations |
|-------|------------------------------------|
| WEL | Workplace exposure limit |

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|--------------------------------------|
| H228 | Flammable solid. |
| H317 | May cause an allergic skin reaction. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.