

## Fluorescent Stains - Kit for Mycobacteria

Version number: GHS 1.0

Date of compilation: 2023-03-17

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

**Fluorescent Stains - Kit for Mycobacteria**

Alternative number(s)

K021Y

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Laboratory Chemicals, Analytical Purpose, Bio-chemical Analysis  
For InVitro Diagnostic Use

Uses advised against

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin.

#### 1.3 Details of the supplier of the safety data sheet

HiMedia Laboratories Pvt. Ltd.  
Plot No. C40, Road No. 21Y, Wagle Industrial Area, MIDC  
Thane West Maharashtra 400604  
India

Telephone: +91 22 69034800, +91 22 61169797

e-mail: info@himedialabs.com

Website: www.himedialabs.com

e-mail (competent person)

info@himedialabs.com (HiMedia Laboratories Pvt. Ltd)

#### 1.4 Emergency telephone number

Emergency information service

This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.6	flammable liquid	2	Flam. Liq. 2	H225
3.1I	acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.2	skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.5	germ cell mutagenicity	2	Muta. 2	H341
4.1C	hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

## Fluorescent Stains - Kit for Mycobacteria

Version number: GHS 1.0

Date of compilation: 2023-03-17

### Labelling

- Signal word danger

- Pictograms

GHS02, GHS05,  
GHS07, GHS08, GHS09



- Hazard statements

H225 Highly flammable liquid and vapour.  
H314 Causes severe skin burns and eye damage.  
H332 Harmful if inhaled.  
H341 Suspected of causing genetic defects.  
H411 Toxic to aquatic life with long lasting effects.

- Precautionary statements

P201 Obtain special instructions before use.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P264 Wash thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/....  
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P310 Immediately call a POISON CENTER/doctor/...  
P312 Call a POISON CENTRE/doctor if you feel unwell.  
P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.  
P391 Collect spillage.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P501 Dispose of contents/container to industrial combustion plant.

- Hazardous ingredients for labelling Phenol, Auramine O

### 2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0,1\%$ .

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0,1\%$ .

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

## Fluorescent Stains - Kit for Mycobacteria

Version number: GHS 1.0

Date of compilation: 2023-03-17

### Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
ethanol	CAS No 64-17-5  EC No 200-578-6  Index No 603-002-00-5	≥ 90	Flam. Liq. 2 / H225
Phenol	CAS No 108-95-2  EC No 203-632-7  Index No 604-001-00-2	10 – < 25	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Muta. 2 / H341 STOT RE 2 / H373
Auramine O	CAS No 2465-27-2	1 – < 5	Acute Tox. 4 / H302 Acute Tox. 3 / H311 Carc. 2 / H351
Hydrogen chloride	CAS No 7647-01-0  EC No 231-595-7  Index No 017-002-00-2	< 1	Press. Gas C / H280 Acute Tox. 3 / H331 Skin Corr. 1A / H314
Potassium permanganate	CAS No 7722-64-7  EC No 231-760-3  Index No 025-002-00-9	< 1	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Repr. 2 / H361d Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Phenol	Skin Corr. 1B; H314: C ≥ 3 % Skin Irrit. 2; H315: 1 % ≤ C < 3 % Eye Dam. 1; H318: C ≥ 3 % Eye Irrit. 2; H319: 1 % ≤ C < 3 %	-	100 mg/kg 300 mg/kg 3 mg/l/4h	oral dermal inhalation: vapour
Auramine O	-	-	500 mg/kg 300 mg/kg	oral dermal
Hydrogen chloride	-	-	700 ppmV/4h	inhalation: gas
Potassium permanganate	-	-	500 mg/kg	oral

For full text of abbreviations: see SECTION 16.

## Fluorescent Stains - Kit for Mycobacteria

Version number: GHS 1.0

Date of compilation: 2023-03-17

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

##### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

##### Following skin contact

Wash with plenty of soap and water.

##### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

##### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

##### Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

##### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## Fluorescent Stains - Kit for Mycobacteria

Version number: GHS 1.0

Date of compilation: 2023-03-17

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

## Fluorescent Stains - Kit for Mycobacteria

Version number: GHS 1.0

Date of compilation: 2023-03-17

- Flammability hazards  
Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.
- Ventilation requirements  
Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation. Ground/bond container and receiving equipment.
- Specific designs for storage rooms or vessels
- Storage temperature  
Recommended storage temperature: 10 – 30 °C
- Packaging compatibilities  
Only packagings which are approved (e.g. acc. to ADR) may be used.

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Notation	Source
EU	phenol	108-95-2	IOELV	2	8	4	16			H	2009/161/EU
EU	hydrogen chloride	7647-01-0	IOELV	5	8	10	15				2000/39/EC
EU	manganese, inorganic compounds	7722-64-7	IOELV		0.05					r	2017/164/EU
GB	phenol	108-95-2	WEL	2	7.8	4	16				EH40/2005
GB	ethanol	64-17-5	WEL	1,000	1,920						EH40/2005
GB	hydrogen chloride	7647-01-0	WEL	1	2	5	8			ga	EH40/2005
GB	manganese, inorganic compounds	7722-64-7	WEL		0.2					Mn, i	EH40/2005
GB	manganese, inorganic compounds	7722-64-7	WEL		0.05					Mn, r	EH40/2005

#### Notation

Ceiling-C	ceiling value is a limit value above which exposure should not occur
ga	as gases and aerosols
H	absorbed through the skin
i	inhalable fraction
Mn	calculated as Mn (manganese)
r	respirable fraction
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit); measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

## Fluorescent Stains - Kit for Mycobacteria

Version number: GHS 1.0

Date of compilation: 2023-03-17

Relevant DNELs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Hydrogen chloride	7647-01-0	DNEL	8 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Hydrogen chloride	7647-01-0	DNEL	15 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	Refer SDS of S042 (Phenolic auramine), S043(Mycobacteria decolorizer) and S044(Potassium permanganate) for respective appearance
Odour	Not applicable
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	not determined
Flash point	not determined

## Fluorescent Stains - Kit for Mycobacteria

Version number: GHS 1.0

Date of compilation: 2023-03-17

Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

### Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	not determined
-----------------	----------------

### Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

## 9.2 Other information

Information with regard to physical hazard classes	there is no additional information
Other safety characteristics	there is no additional information

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains re-active substance(s). Risk of ignition.

If heated:

Risk of ignition

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



## Fluorescent Stains - Kit for Mycobacteria

Version number: GHS 1.0

Date of compilation: 2023-03-17

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

### 10.5 Incompatible materials

Oxidisers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

Acute toxicity

Harmful if inhaled.

- Acute toxicity estimate (ATE)

Oral 943.4 mg/kg

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Phenol	108-95-2	oral	100 mg/kg
Phenol	108-95-2	dermal	300 mg/kg
Phenol	108-95-2	inhalation: vapour	3 mg/l/4h
Auramine O	2465-27-2	oral	500 mg/kg
Auramine O	2465-27-2	dermal	300 mg/kg
Hydrogen chloride	7647-01-0	inhalation: gas	700 ppmV/4h
Potassium permanganate	7722-64-7	oral	500 mg/kg

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

Shall not be classified as carcinogenic.

## Fluorescent Stains - Kit for Mycobacteria

Version number: GHS 1.0

Date of compilation: 2023-03-17

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## 11.2 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0,1\%$ .

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0,1\%$ .

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Waste treatment-relevant information

Solvent reclamation/regeneration.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## Fluorescent Stains - Kit for Mycobacteria

Version number: GHS 1.0

Date of compilation: 2023-03-17

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADR/RID	UN 3316
IMDG-Code	UN 3316
ICAO-TI	UN 3316

#### 14.2 UN proper shipping name

ADR/RID	CHEMICAL KIT
IMDG-Code	CHEMICAL KIT
ICAO-TI	Chemical kit

#### 14.3 Transport hazard class(es)

ADR/RID	9
IMDG-Code	9
ICAO-TI	9

#### 14.4 Packing group

ADR/RID	II
IMDG-Code	II
ICAO-TI	II

#### 14.5 Environmental hazards

	hazardous to the aquatic environment
Environmentally hazardous substance (aquatic environment)	Potassium permanganate

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

##### Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information

Classification code	M11
Danger label(s)	9, fish and tree








Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	251, 340
Excepted quantities (EQ)	-> SP340
Limited quantities (LQ)	-> SP251
Transport category (TC)	2
Tunnel restriction code (TRC)	E

## Fluorescent Stains - Kit for Mycobacteria

Version number: GHS 1.0

Date of compilation: 2023-03-17

Emergency Action Code	2Z
<b>Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information</b>	
Classification code	M11
Danger label(s)	9, fish and tree
 	
Environmental hazards	yes (hazardous to water)
Special provisions (SP)	251, 340
Excepted quantities (EQ)	-> SP340
Limited quantities (LQ)	-> SP251
Transport category (TC)	2
Hazard identification No	90
<b>International Maritime Dangerous Goods Code (IMDG) - Additional information</b>	
Marine pollutant	yes (hazardous to the aquatic environment)
Danger label(s)	9, fish and tree
 	
Special provisions (SP)	251, 340
Excepted quantities (EQ)	-> SP340
Limited quantities (LQ)	-> SP251
EmS	F-A, <u>S-P</u>
Stowage category	A
<b>International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information</b>	
Environmental hazards	yes (hazardous to the aquatic environment)
Danger label(s)	9
	
Special provisions (SP)	A44, A163
Excepted quantities (EQ)	E0
Limited quantities (LQ)	1 kg

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Relevant provisions of the European Union (EU)

##### Deco-Paint Directive

VOC content	100 %
-------------	-------

## Fluorescent Stains - Kit for Mycobacteria

Version number: GHS 1.0

Date of compilation: 2023-03-17

### Industrial Emissions Directive (IED)

VOC content	100 %
-------------	-------

### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

### Water Framework Directive (WFD)

List of pollutants (WFD)			
Name of substance	CAS No	Listed in	Remarks
Phenol		a)	
Phenol		a)	
ethanol		a)	
Potassium permanganate		a)	
Potassium permanganate		a)	
Auramine O		a)	
Auramine O		a)	

#### Legend

A) Indicative list of the main pollutants

### Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

### National inventories

Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

REACH Reg. REACH registered substances  
TSCA Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## Fluorescent Stains - Kit for Mycobacteria

Version number: GHS 1.0

Date of compilation: 2023-03-17

### SECTION 16: Other information

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
2009/161/EU	Commission Directive establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC
2017/164/EU	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code

## Fluorescent Stains - Kit for Mycobacteria

Version number: GHS 1.0

Date of compilation: 2023-03-17

Abbr.	Descriptions of used abbreviations
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
Press. Gas	Gas under pressure
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.  
Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H272	May intensify fire; oxidiser.
H280	Contains gas under pressure; may explode if heated.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.

## Fluorescent Stains - Kit for Mycobacteria

Version number: GHS 1.0

Date of compilation: 2023-03-17

Code	Text
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.