

Lactophenol Picric Acid

Version number: GHS 1.0

Date of compilation: 2022-12-21

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	Lactophenol Picric Acid
Alternative number(s)	S017

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Laboratory Chemicals, Analytical Purpose, Bio-chemical Analysis For InVitro Diagnostic Use
Uses advised against	Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin.

1.3 Details of the supplier of the safety data sheet

HiMedia Laboratories Pvt. Ltd.
Plot No. C40, Road No. 21Y, Wagle Industrial Area, MIDC
Thane West Maharashtra 400604
India

Telephone: +91 22 69034800, +91 22 61169797
e-mail: info@himedialabs.com
Website: www.himedialabs.com

e-mail (competent person)	info@himedialabs.com (HiMedia Laboratories Pvt. Ltd)
---------------------------	--

1.4 Emergency telephone number

Emergency information service	This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM
-------------------------------	--

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.1O	acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	acute toxicity (dermal)	4	Acute Tox. 4	H312
3.1I	acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.2	skin corrosion/irritation	1A	Skin Corr. 1A	H314
3.5	germ cell mutagenicity	2	Muta. 2	H341
3.9	specific target organ toxicity - repeated exposure	2	STOT RE 2	H373
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

Lactophenol Picric Acid

Version number: GHS 1.0

Date of compilation: 2022-12-21

2.2 Label elements

Labelling

- Signal word danger

- Pictograms

GHS05, GHS06, GHS08



- Hazard statements

H302+H312 Harmful if swallowed or in contact with skin.
H314 Causes severe skin burns and eye damage.
H331 Toxic if inhaled.
H341 Suspected of causing genetic defects.
H373 May cause damage to organs through prolonged or repeated exposure.
H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P201 Obtain special instructions before use.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 Wash thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/....
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor/...
P311 Call a POISON CENTER/doctor.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P501 Dispose of contents/container to industrial combustion plant.

- Hazardous ingredients for labelling Phenol, Picric acid

2.3 Other hazards

of no significance

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
Glycerine	CAS No 56-81-5 EC No 200-289-5	25 – < 50	

Lactophenol Picric Acid

Version number: GHS 1.0

Date of compilation: 2022-12-21

Name of substance	Identifier	Wt%	Classification acc. to GHS
Phenol	CAS No 108-95-2 EC No 203-632-7 Index No 604-001-00-2	10 – < 25	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Muta. 2 / H341 STOT RE 2 / H373
Lactic acid	CAS No 50-21-5	10 – < 25	Skin Irrit. 2 / H315 Eye Dam. 1 / H318
Picric acid	CAS No 88-89-1 EC No 201-865-9 Index No 609-009-00-X	10 – < 25	Expl. 1.1 / H201 Flam. Sol. 1 / H228 Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Skin Corr. 1A / H314

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Phenol	Skin Corr. 1B; H314: $C \geq 3\%$ Skin Irrit. 2; H315: $1\% \leq C < 3\%$ Eye Dam. 1; H318: $C \geq 3\%$ Eye Irrit. 2; H319: $1\% \leq C < 3\%$	-	100 mg/kg 300 mg/kg 3 mg/l/4h	oral dermal inhalation: vapour
Picric acid	-	-	100 mg/kg 300 mg/kg 0.5 mg/l/4h	oral dermal inhalation: dust/mist

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

Lactophenol Picric Acid

Version number: GHS 1.0

Date of compilation: 2022-12-21

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Lactophenol Picric Acid

Version number: GHS 1.0

Date of compilation: 2022-12-21

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

- Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

- Specific designs for storage rooms or vessels

- Storage temperature

Recommended storage temperature: 10 – 30 °C

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Notation	Source
EU	phenol	108-95-2	IOELV	2	8	4	16			H	2009/161/EU
EU	picric acid	88-89-1	IOELV		0.1						91/322/EEC
GB	phenol	108-95-2	WEL	2	7.8	4	16				EH40/2005
GB	glycerol	56-81-5	WEL		10					mist	EH40/2005
GB	picric acid	88-89-1	WEL		0.1		0.3				EH40/2005

Notation

Ceiling-C

H

mist

STEL

TWA

ceiling value is a limit value above which exposure should not occur absorbed through the skin

as mists

short-term exposure limit; a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

time-weighted average (long-term exposure limit); measured or calculated in relation to a reference period of 8 hours

time-weighted average (unless otherwise specified)

Lactophenol Picric Acid

Version number: GHS 1.0

Date of compilation: 2022-12-21

Relevant PNECs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Glycerine	56-81-5	PNEC	0.885 mg/l	aquatic organisms	freshwater	short-term (single instance)
Glycerine	56-81-5	PNEC	0.088 mg/l	aquatic organisms	marine water	short-term (single instance)
Glycerine	56-81-5	PNEC	1,000 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Glycerine	56-81-5	PNEC	3.3 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Glycerine	56-81-5	PNEC	0.33 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Glycerine	56-81-5	PNEC	0.141 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	Yellow coloured viscous clear solution
Odour	Phenolic odour
Melting point/freezing point	not determined

Lactophenol Picric Acid

Version number: GHS 1.0

Date of compilation: 2022-12-21

Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	not determined
-----------------	----------------

Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

Lactophenol Picric Acid

Version number: GHS 1.0

Date of compilation: 2022-12-21

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Harmful in contact with skin. Toxic if inhaled.

- Acute toxicity estimate (ATE)

Oral	250 mg/kg
Dermal	750 mg/kg
Inhalation: vapour	15 mg/l/4h

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Phenol	108-95-2	oral	100 mg/kg
Phenol	108-95-2	dermal	300 mg/kg
Phenol	108-95-2	inhalation: vapour	3 mg/l/4h
Picric acid	88-89-1	oral	100 mg/kg
Picric acid	88-89-1	dermal	300 mg/kg
Picric acid	88-89-1	inhalation: dust/mist	0.5 mg/l/4h

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

Shall not be classified as carcinogenic.

Lactophenol Picric Acid

Version number: GHS 1.0

Date of compilation: 2022-12-21

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Glycerine	56-81-5		-1.75 (pH value: 7.4, 25 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Lactophenol Picric Acid

Version number: GHS 1.0

Date of compilation: 2022-12-21

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID	UN 2922
IMDG-Code	UN 2922
ICAO-TI	UN 2922

14.2 UN proper shipping name

ADR/RID	CORROSIVE LIQUID, TOXIC, N.O.S.
IMDG-Code	CORROSIVE LIQUID, TOXIC, N.O.S.
ICAO-TI	Corrosive liquid, toxic, n.o.s.
Technical name (hazardous ingredients)	Picric acid

14.3 Transport hazard class(es)

ADR/RID	8 (6.1)
IMDG-Code	8 (6.1)
ICAO-TI	8 (6.1)

14.4 Packing group

ADR/RID	II
IMDG-Code	II
ICAO-TI	II

14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information

Classification code	CT1
Danger label(s)	8+6.1



Special provisions (SP)	274, 802(ADN)
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2

Lactophenol Picric Acid

Version number: GHS 1.0

Date of compilation: 2022-12-21

Tunnel restriction code (TRC)	E
Hazard identification No	86
Emergency Action Code	2X

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information

Classification code	CT1
Danger label(s)	8+6.1



Special provisions (SP)	274, 802(ADN)
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Hazard identification No	86

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant	-
Danger label(s)	8+6.1



Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-A, S-B
Stowage category	B

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s)	8+6.1
-----------------	-------



Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Deco-Paint Directive

VOC content	40 %
-------------	------

Lactophenol Picric Acid

Version number: GHS 1.0

Date of compilation: 2022-12-21

Industrial Emissions Directive (IED)

VOC content	40 %
-------------	------

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)			
Name of substance	CAS No	Listed in	Remarks
Phenol		a)	
Phenol		a)	

Legend

A) Indicative list of the main pollutants

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National inventories

Country	Inventory	Status
EU	REACH Reg.	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2009/161/EU	Commission Directive establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC
91/322/EEC	Commission Directive on establishing indicative limit values by implementing Council Directive 80/1107/EEC
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor

Lactophenol Picric Acid

Version number: GHS 1.0

Date of compilation: 2022-12-21

Abbr.	Descriptions of used abbreviations
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Expl.	Explosive material
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Sol.	Flammable solid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
log KOW	n-Octanol/water
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin

Lactophenol Picric Acid

Version number: GHS 1.0

Date of compilation: 2022-12-21

Abbr.	Descriptions of used abbreviations
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
TWA	Time-weighted average
Unst. Expl.	Unstable explosive material
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.
Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H201	Explosive; mass explosion hazard.
H228	Flammable solid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.